



### LED Specification



Standard LED Color	LED Wavelength (nm)	Forward (V MAX)	Typical (V TYP)	Luminous Intensity
Green	560-580 nm	2.5V	2.1-2.2V	9-25 MCD
Yellow	580-610 nm	2.5V	2.1-2.2V	9-30 MCD
Orange	580-610 nm	2.5V	2.1-2.2V	50-100 MCD

1 LED intensity/wavelength measured with Photo Research PR-650 Colorimeter  
 2 With a forward current of 20 mA Absolute Maximum Ratings (Ta=25°C)



### Specification:

1:TOLERANCES UNLESS OTHERWISE SPECIFIED:  
 0~10±0.15, 10~20±0.2, 20~40±0.25,  
 40~70±0.3, >70±0.4  
 2:JACK CAVITY CONFORMS TO FCC RULES AND  
 REGULATIONS, PART 68 SUBPART F.



PCB BOARD LAYOUT

**B-TOP** 东莞市博腾电子科技有限公司  
 Dongguan Broadtop Electronic Technology Co., Ltd.

FIRST ANGLE PROJECTION		TEL: 0769-33926198	Checked	MATERIAL	SCALE	UNIT	mm	MODEL NO.	REVISION
		FAX: 0769-33926199	Approved						
		Website: www.broadtop.com			1:2.1				

B591169-30(GP8-19D-6123-C12)X6 Y-G LED EMI POE 15nF

